

WEST Search History

DATE: Thursday, December 21, 2006

| <u>Hide?</u> | <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> |
|--------------------------|-----------------|---|------------------|
| | | <i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i> | |
| <input type="checkbox"/> | L11 | L8 and (putida\$4 or coli\$4 or pseudomon\$4) | 69 |
| <input type="checkbox"/> | L10 | L8 and (putida\$\$ or coli\$4 or pseudomon\$4) | 69 |
| <input type="checkbox"/> | L9 | L7 and (putida\$\$ or coli\$4 or pseudomon\$4) | 8 |
| <input type="checkbox"/> | L8 | L2 and sensor\$4 | 75 |
| <input type="checkbox"/> | L7 | L1 and sensor\$4 | 21 |
| <input type="checkbox"/> | L6 | l1 and (wise or Kuske or Terwilliger).in. | 4 |
| <input type="checkbox"/> | L5 | l2 and (wise or Kuske or Terwilliger).in. | 3 |
| <input type="checkbox"/> | L4 | L3 and dmp\$4 | 5 |
| <input type="checkbox"/> | L3 | L2 and dmp\$4 | 46 |
| <input type="checkbox"/> | L2 | transcript\$4 same activ\$4 same phenol\$6 | 668 |
| <input type="checkbox"/> | L1 | dmp\$4 same phenol\$6 | 700 |

END OF SEARCH HISTORY

=> d his full

(FILE 'HOME' ENTERED AT 16:57:16 ON 21 DEC 2006)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE, AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS, CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB, DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 16:57:41 ON 21 DEC 2006
SEA TRANSCRIPT?(S)ACTIV?(S)PHENOL?

59 FILE AGRICOLA
2 FILE ANABSTR
2 FILE AQUALINE
7 FILE AQUASCI
42 FILE BIOENG
62 FILE BIOSIS
190 FILE BIOTECHABS
190 FILE BIOTECHDS
195 FILE BIOTECHNO
138 FILE CABA
96 FILE CAPLUS
6 FILE CEABA-VTB
1 FILE CROPU
12 FILE DDFU
50 FILE DGENE
33 FILE DISSABS
32 FILE DRUGU
5 FILE EMBAL
48 FILE EMBASE
285 FILE ESBIODBASE
6 FILE FROSTI
24 FILE FSTA
102 FILE GENBANK
1 FILE HEALSAFE
30 FILE IFIPAT
11 FILE JICST-EPLUS
5 FILE KOSMET
179 FILE LIFESCI
55 FILE MEDLINE
1 FILE NTIS
3 FILE OCEAN
164 FILE PASCAL
2 FILE PROMT
1 FILE RDISCLOSURE
57 FILE SCISEARCH
55 FILE TOXCENTER
782 FILE USPATFULL
88 FILE USPAT2
3 FILE VETU
3 FILE WATER
39 FILE WPIDS
39 FILE WPINDEX
4 FILE IPA
3 FILE NLDB

L1 QUE TRANSCRIPT?(S) ACTIV?(S) PHENOL?

D RANK

FILE 'USPATFULL, ESBIODBASE, BIOTECHNO, BIOTECHDS, LIFESCI, PASCAL, CABA, CAPLUS, USPAT2, BIOSIS, AGRICOLA, SCISEARCH, MEDLINE' ENTERED AT 17:01:03 ON 21 DEC 2006

L2 3791 SEA (TRANSCRIPT?(S) ACTIV?(S) PHENOL?) OR (DMP?(S) PHENOL?)
L3 195 SEA L2 AND SENSOR?
L4 152 SEA L3 AND (PUTIDA? OR COLI? OR PSEUDOMON?)
L5 42 SEA L4 AND DMPR?
L6 11 DUP REM L5 (31 DUPLICATES REMOVED)
D TI L6 1-11
D IBIB ABS L6 1-11

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal652dmr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

| | | | |
|--------------|----|--------|--|
| NEWS | 1 | | Web Page URLs for STN Seminar Schedule - N. America |
| NEWS | 2 | | "Ask CAS" for self-help around the clock |
| NEWS | 3 | AUG 09 | INSPEC enhanced with 1898-1968 archive |
| NEWS | 4 | AUG 28 | ADISCTI Reloaded and Enhanced |
| NEWS | 5 | AUG 30 | CA(SM)/Capius(SM) Austrian patent law changes |
| NEWS | 6 | SEP 11 | CA/Capius enhanced with more pre-1907 records |
| NEWS | 7 | SEP 21 | CA/Capius fields enhanced with simultaneous left and right truncation |
| NEWS | 8 | SEP 25 | CA(SM)/Capius(SM) display of CA Lexicon enhanced |
| NEWS | 9 | SEP 25 | CAS REGISTRY(SM) no longer includes Concord 3D coordinates |
| NEWS | 10 | SEP 25 | CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine |
| NEWS | 11 | SEP 28 | CEABA-VTB classification code fields reloaded with new classification scheme |
| NEWS | 12 | OCT 19 | LOGOFF HOLD duration extended to 120 minutes |
| NEWS | 13 | OCT 19 | E-mail format enhanced |
| NEWS | 14 | OCT 23 | Option to turn off MARPAT highlighting enhancements available |
| NEWS | 15 | OCT 23 | CAS Registry Number crossover limit increased to 300,000 in multiple databases |
| NEWS | 16 | OCT 23 | The Derwent World Patents Index suite of databases on STN has been enhanced and reloaded |
| NEWS | 17 | OCT 30 | CHEMLIST enhanced with new search and display field |
| NEWS | 18 | NOV 03 | JAPIO enhanced with IPC 8 features and functionality |
| NEWS | 19 | NOV 10 | CA/Capius F-Term thesaurus enhanced |
| NEWS | 20 | NOV 10 | STN Express with Discover! free maintenance release Version 8.01c now available |
| NEWS | 21 | NOV 20 | CAS Registry Number crossover limit increased to 300,000 in additional databases |
| NEWS | 22 | NOV 20 | CA/Capius to MARPAT accession number crossover limit increased to 50,000 |
| NEWS | 23 | DEC 01 | CAS REGISTRY updated with new ambiguity codes |
| NEWS | 24 | DEC 11 | CAS REGISTRY chemical nomenclature enhanced |
| NEWS | 25 | DEC 14 | WPIDS/WPINDEX/WPIX manual codes updated |
| NEWS | 26 | DEC 14 | GBFULL and FRFULL enhanced with IPC 8 features and functionality |
| NEWS | 27 | DEC 18 | CA/Capius pre-1967 chemical substance index entries enhanced with preparation role |
| NEWS | 28 | DEC 18 | CA/Capius patent kind codes updated |
| NEWS | 29 | DEC 18 | MARPAT to CA/Capius accession number crossover limit increased to 50,000 |
| NEWS | 30 | DEC 18 | MEDLINE updated in preparation for 2007 reload |
| NEWS EXPRESS | | | NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006. |
| NEWS HOURS | | | STN Operating Hours Plus Help Desk Availability |
| NEWS LOGIN | | | Welcome Banner and News Items |
| NEWS IPC8 | | | For general information regarding STN implementation of IPC 8 |
| NEWS X25 | | | X.25 communication option no longer available |

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:57:16 ON 21 DEC 2006

=> index bioscience medicine

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

| SINCE FILE | TOTAL |
|------------|---------|
| ENTRY | SESSION |
| 0.21 | 0.21 |

FULL ESTIMATED COST

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE, AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS, CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB, DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 16:57:41 ON 21 DEC 2006

71 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view search error messages that display as 0* with SET DETAIL OFF.

=> s transcript?(s)activ?(s)phenol?

59 FILE AGRICOLA
2 FILE ANABSTR
2 FILE AQUALINE
7 FILE AQUASCI
42 FILE BIOENG
62 FILE BIOSIS
190 FILE BIOTECHABS
190 FILE BIOTECHDS
195 FILE BIOTECHNO

13 FILES SEARCHED...

138 FILE CABA
96 FILE CAPLUS
6 FILE CEABA-VTB
1 FILE CROPU
12 FILE DDFU
50 FILE DGENE

23 FILES SEARCHED...

33 FILE DISSABS
32 FILE DRUGU
5 FILE EMBAL
48 FILE EMBASE
285 FILE ESBIODASE
6 FILE FROSTI
24 FILE FSTA
102 FILE GENBANK
1 FILE HEALSAFE
30 FILE IFIPAT

37 FILES SEARCHED...

11 FILE JICST-EPLUS
5 FILE KOSMET
179 FILE LIFESCI
55 FILE MEDLINE
1 FILE NTIS
3 FILE OCEAN

164 FILE PASCAL
 48 FILES SEARCHED...
 2 FILE PROMT
 1 FILE RDISCLOSURE
 57 FILE SCISEARCH
 55 FILE TOXCENTER
 782 FILE USPATFULL
 88 FILE USPAT2
 3 FILE VETU
 3 FILE WATER
 39 FILE WPIDS
 39 FILE WPINDEX
 4 FILE IPA
 69 FILES SEARCHED...
 3 FILE NLDB

44 FILES HAVE ONE OR MORE ANSWERS, 71 FILES SEARCHED IN STNINDEX

L1 QUE TRANSCRIPT?(S) ACTIV?(S) PHENOL?

=> d rank

| | | |
|-----|-----|-------------|
| F1 | 782 | USPATFULL |
| F2 | 285 | ESBIOBASE |
| F3 | 195 | BIOTECHNO |
| F4 | 190 | BIOTECHABS |
| F5 | 190 | BIOTECHDS |
| F6 | 179 | LIFESCI |
| F7 | 164 | PASCAL |
| F8 | 138 | CABA |
| F9 | 102 | GENBANK |
| F10 | 96 | CAPLUS |
| F11 | 88 | USPAT2 |
| F12 | 62 | BIOSIS |
| F13 | 59 | AGRICOLA |
| F14 | 57 | SCISEARCH |
| F15 | 55 | MEDLINE |
| F16 | 55 | TOXCENTER |
| F17 | 50 | DGENE |
| F18 | 48 | EMBASE |
| F19 | 42 | BIOENG |
| F20 | 39 | WPIDS |
| F21 | 39 | WPINDEX |
| F22 | 33 | DISSABS |
| F23 | 32 | DRUGU |
| F24 | 30 | IFIPAT |
| F25 | 24 | FSTA |
| F26 | 12 | DDFU |
| F27 | 11 | JICST-EPLUS |
| F28 | 7 | AQUASCI |
| F29 | 6 | CEABA-VTB |
| F30 | 6 | FROSTI |
| F31 | 5 | EMBAL |
| F32 | 5 | KOSMET |
| F33 | 4 | IPA |
| F34 | 3 | OCEAN |
| F35 | 3 | VETU |
| F36 | 3 | WATER |
| F37 | 3 | NLDB |
| F38 | 2 | ANABSTR |
| F39 | 2 | AQUALINE |
| F40 | 2 | PROMT |
| F41 | 1 | CROPU |
| F42 | 1 | HEALSAFE |
| F43 | 1 | NTIS |
| F44 | 1 | RDISCLOSURE |

=> file f1-f8, f10-f15

COST IN U.S. DOLLARS

SINCE FILE

ENTRY

TOTAL

SESSION

FULL ESTIMATED COST

3.66

3.87

FILE 'USPATFULL' ENTERED AT 17:01:03 ON 21 DEC 2006

CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'ESBIOBASE' ENTERED AT 17:01:03 ON 21 DEC 2006

COPYRIGHT (C) 2006 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'BIOTECHNO' ENTERED AT 17:01:03 ON 21 DEC 2006

COPYRIGHT (C) 2006 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'BIOTECHABS' ACCESS NOT AUTHORIZED

FILE 'BIOTECHDS' ENTERED AT 17:01:03 ON 21 DEC 2006

COPYRIGHT (C) 2006 THE THOMSON CORPORATION

FILE 'LIFESCI' ENTERED AT 17:01:03 ON 21 DEC 2006

COPYRIGHT (C) 2006 Cambridge Scientific Abstracts (CSA)

FILE 'PASCAL' ENTERED AT 17:01:03 ON 21 DEC 2006

Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2006 INIST-CNRS. All rights reserved.

FILE 'CABA' ENTERED AT 17:01:03 ON 21 DEC 2006

COPYRIGHT (C) 2006 CAB INTERNATIONAL (CABI)

FILE 'CAPLUS' ENTERED AT 17:01:03 ON 21 DEC 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 17:01:03 ON 21 DEC 2006

CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 17:01:03 ON 21 DEC 2006

Copyright (c) 2006 The Thomson Corporation

FILE 'AGRICOLA' ENTERED AT 17:01:03 ON 21 DEC 2006

FILE 'SCISEARCH' ENTERED AT 17:01:03 ON 21 DEC 2006

Copyright (c) 2006 The Thomson Corporation

FILE 'MEDLINE' ENTERED AT 17:01:03 ON 21 DEC 2006

=> s (transcript?(s)activ?(s)phenol?) or (dmp?(s)phenol?)

4 FILES SEARCHED...

7 FILES SEARCHED...

L2 3791 (TRANSCRIPT?(S) ACTIV?(S) PHENOL?) OR (DMP?(S) PHENOL?)

=> s l2 and sensor?

L3 195 L2 AND SENSOR?

=> s l3 and (putida? or coli? or pseudomon?)

L4 152 L3 AND (PUTIDA? OR COLI? OR PSEUDOMON?)

=> s l4 and dmp?

L5 42 L4 AND DMP?

=> dup rem l5
PROCESSING COMPLETED FOR L5
L6 11 DUP REM L5 (31 DUPLICATES REMOVED)

=> d ti l6 1-11

L6 ANSWER 1 OF 11 USPATFULL on STN
TI Phytoremediation of contaminant compounds via chloroplast genetic engineering

L6 ANSWER 2 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on STN
DUPLICATE
TI Analysis of bioavailable phenols from natural samples by recombinant luminescent bacterial sensors

L6 ANSWER 3 OF 11 USPATFULL on STN
DUPLICATE 2
TI Detection of phenols using engineered bacteria

L6 ANSWER 4 OF 11 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
TI Detection of phenols using engineered bacteria.

L6 ANSWER 5 OF 11 USPATFULL on STN
DUPLICATE 3
TI Detection of phenols using engineered bacteria

L6 ANSWER 6 OF 11 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
TI Biosensor system for analyzing substances, has cell or organism having DNA molecule encoding p-hydroxyphenyl-pyruvic acid dioxygenase under the control of a promoter inducible by the substance to be analyzed;
microbial electrode construction by vector-mediated
p-hydroxyphenyl-pyruvate-dioxygenase gene transfer and expression in Escherichia coli or Saccharomyces cerevisiae

L6 ANSWER 7 OF 11 USPATFULL on STN
TI Biosensors

L6 ANSWER 8 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on STN
DUPLICATE
TI Role of the DmpR-mediated regulatory circuit in bacterial biodegradation properties in methylphenol-amended soils

L6 ANSWER 9 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on STN
DUPLICATE
TI Generation of novel bacterial regulatory proteins that detect priority pollutant phenols

L6 ANSWER 10 OF 11 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN
TI Engineering novel biosensors to detect priority pollutant phenols;
Pseudomonas sp. biosensor construction via polymerase chain reaction-mediated DmpR protein mutagenesis for use in phenol pollutant analysis (conference abstract)

L6 ANSWER 11 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on STN
DUPLICATE
TI Sensing of aromatic compounds by the DmpR transcriptional activator of phenol
-catabolizing Pseudomonas sp. strain CF600

=> d ibib abs l6 1-11

L6 ANSWER 1 OF 11 USPATFULL on STN
ACCESSION NUMBER: 2006:113026 USPATFULL
TITLE: Phytoremediation of contaminant compounds via chloroplast genetic engineering

INVENTOR(S): Daniell, Henry, Winter Park, FL, UNITED STATES
PATENT ASSIGNEE(S): University of Central Florida, Orlando, FL, UNITED STATES, 32816-3551 (U.S. corporation)

| | NUMBER | KIND | DATE |
|---------------------|-----------------|------|-----------------------|
| PATENT INFORMATION: | US 2006095982 | A1 | 20060504 |
| APPLICATION INFO.: | US 2003-520204 | A1 | 20030702 (10) |
| | WO 2003-US20868 | | 20030702 |
| | | | 20050826 PCT 371 date |

| | NUMBER | DATE |
|-----------------------|---|---------------|
| PRIORITY INFORMATION: | US 2002-393451P | 20020703 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | SALIWANCHIK LLOYD & SALIWANCHIK, A PROFESSIONAL ASSOCIATION, PO BOX 142950, GAINESVILLE, FL, 32614-2950, US | |
| NUMBER OF CLAIMS: | 40 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 15 Drawing Page(s) | |
| LINE COUNT: | 3013 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A plastid transformation vector for stably transforming a plastid genome, comprising, as operably-linked components, a first flanking sequence, at least one DNA sequence coding for a polypeptide suitable for remediating a contaminant compound, and a second flanking sequence, wherein a plant is stably transformed with the plastid transformation vector, and the plant is capable of phytoremediating a contaminant compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 2 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on
STN DUPLICATE

ACCESSION NUMBER: 2006207256 ESBIOBASE
TITLE: Analysis of bioavailable phenols from natural samples by recombinant luminescent bacterial sensors
AUTHOR: Leedjarv A.; Ivask A.; Virta M.; Kahru A.
CORPORATE SOURCE: A. Leedjarv, National Institute of Chemical Physics and Biophysics, Laboratory of Molecular Genetics, Akadeemia tee 23, 12618 Tallinn, Estonia.
E-mail: anul@kbfi.ee
SOURCE: Chemosphere, (2006), 64/11 (1910-1919), 37
reference(s)
CODEN: CMSHAF ISSN: 0045-6535
PUBLISHER ITEM IDENT.: S0045653506000646
DOCUMENT TYPE: Journal; Article
COUNTRY: United Kingdom
LANGUAGE: English
SUMMARY LANGUAGE: English

AB A whole-cell recombinant bacterial sensor for the detection of phenolic compounds was constructed and used for the analysis of bioavailable phenols in natural samples. The sensor *Pseudomonas fluorescens* OS8(pDNDmpRlux) contains luxCDABE operon as a reporter under the control of phenol-inducible Po promoter from *Pseudomonas* sp. CF600. Expression of lux genes from the Po promoter, and thus the production of bioluminescence is controlled by the transcriptional activator DmpR, which initiates transcription in the presence of phenolic compounds. To take into account possible quenching (turbidity, toxicity) and/or stimulating effects of the environmental samples on the bacterial luminescence, control bacteria comparable to the sensors but lacking the phenol recognising elements were constructed and

used in parallel in assays. The sensor bacteria were inducible with phenol, methylphenols, 2,3-, 2,4-, 2,6- and 3,4-dimethylphenol, resorcinol and 5-methylresorcinol but not with 2,5-dimethylresorcinol. The detection limits for different phenols varied from 0.03 mg/l (2-methylphenol) to 42.7 mg/l (5-methylresorcinol), being 0.08 mg/l for phenol, the most abundant phenolic contaminant in the environment. Different phenolic compounds had an additive effect on the inducibility of the sensor. The constructed sensor bacteria were applied on groundwaters and semi-coke leachates to estimate the bioavailable fraction of phenols. The sensor-determined amount of phenols in different samples varied from 6% to 95% of total phenol content depending on the nature of the sample. As the phenol-recognising unit in the sensor originates from a natural phenol biodegradation pathway, the sensor-determined amount of phenols corresponds to the biodegradable amount of phenolic pollutants in the samples and therefore this sensor could be used to estimate the natural biodegradation potential of phenolic compounds in the complex environmental mixtures and matrixes. .COPYRGT. 2006 Elsevier Ltd. All rights reserved.

L6 ANSWER 3 OF 11 USPATFULL on STN DUPLICATE 2
 ACCESSION NUMBER: 2005:298937 USPATFULL
 TITLE: Detection of phenols using engineered bacteria
 INVENTOR(S): Wise, Arlene A., Philadelphia, PA, UNITED STATES
 Kuske, Cheryl R., Los Alamos, NM, UNITED STATES
 Terwilliger, Thomas C., Santa Fe, NM, UNITED STATES

| | NUMBER | KIND | DATE |
|-----------------------|--|------|---------------|
| PATENT INFORMATION: | US 2005260602 | A1 | 20051124 |
| APPLICATION INFO.: | US 2003-665455 | A1 | 20030918 (10) |
| RELATED APPLN. INFO.: | Division of Ser. No. US 2000-520538, filed on 8 Mar 2000, GRANTED, Pat. No. US 6773918 | | |

| | NUMBER | DATE |
|-----------------------|---|---------------|
| PRIORITY INFORMATION: | US 1999-123659P | 19990309 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | UNIVERSITY OF CALIFORNIA, LOS ALAMOS NATIONAL LABORATORY, P.O. BOX 1663, MS A187, LOS ALAMOS, NM, 87545, US | |

NUMBER OF CLAIMS: 7
 EXEMPLARY CLAIM: 1
 NUMBER OF DRAWINGS: 7 Drawing Page(s)
 LINE COUNT: 777

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Detection of phenols using engineered bacteria. A biosensor can be created by placing a reporter gene under control of an inducible promoter. The reporter gene produces a signal when a cognate transcriptional activator senses the inducing chemical. Creation of bacterial biosensors is currently restricted by limited knowledge of the genetic systems of bacteria that catabolize xenobiotics. By using mutagenic PCR to change the chemical specificity of the Pseudomonas species CF600 DmpR protein, the potential for engineering novel biosensors for detection of phenols has been demonstrated. DmpR, a well-characterized transcriptional activator of the P. CF600's dmp operon mediates growth on simple phenols. Transcription from Po, the promoter heading the dmp operon, is activated when the sensor domain of DmpR interacts with phenol and mono-substituted phenols. By altering the sensor

domain of the DmpR, a group of DmpR derivatives that activate transcription of a Po-lacZ fusion in response to eight of the EPA's eleven priority pollutant phenols has been created. The assays and the sensor domain mutations that alter the chemical specificity of DmpR is described.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 4 OF 11 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
ACCESSION NUMBER: 2004:353465 BIOSIS
DOCUMENT NUMBER: PREV200400355149
TITLE: Detection of phenols using engineered bacteria.
AUTHOR(S): Wise, Arlene A. [Inventor, Reprint Author]; Kuske, Cheryl R. [Inventor]; Terwilliger, Thomas C. [Inventor]
CORPORATE SOURCE: Los Alamos, NM, USA
ASSIGNEE: The Regents of the University of California
PATENT INFORMATION: US 6773918 20040810
SOURCE: Official Gazette of the United States Patent and Trademark Office Patents, (Aug 10 2004) Vol. 1285, No. 2.
<http://www.uspto.gov/web/menu/patdata.html>. e-file.
ISSN: 0098-1133 (ISSN print).
DOCUMENT TYPE: Patent
LANGUAGE: English
ENTRY DATE: Entered STN: 26 Aug 2004
Last Updated on STN: 26 Aug 2004

AB Detection of phenols using engineered bacteria. A biosensor can be created by placing a reporter gene under control of an inducible promoter. The reporter gene produces a signal when a cognate transcriptional activator senses the inducing chemical. Creation of bacterial biosensors is currently restricted by limited knowledge of the genetic systems of bacteria that catabolize xenobiotics. By using mutagenic PCR to change the chemical specificity of the Pseudomonas species CF600 DmpR protein, the potential for engineering novel biosensors for detection of phenols has been demonstrated. DmpR, a well-characterized transcriptional activator of the P. CF600's dmp operon mediates growth on simple phenols. Transcription from Po, the promoter heading the dmp operon, is activated when the sensor domain of DmpR interacts with phenol and mono-substituted phenols. By altering the sensor domain of the DmpR, a group of DmpR derivatives that activate transcription of a Po-lacZ fusion in response to eight of the EPA's eleven priority pollutant phenols has been created. The assays and the sensor domain mutations that alter the chemical specificity of DmpR is described.

L6 ANSWER 5 OF 11 USPATFULL on STN DUPLICATE 3
ACCESSION NUMBER: 2002:301093 USPATFULL
TITLE: Detection of phenols using engineered bacteria
INVENTOR(S): Wise, Arlene A., Los Alamos, NM, UNITED STATES
Kuske, Cheryl R., Los Alamos, NM, UNITED STATES
Terwilliger, Thomas C., Santa Fe, NM, UNITED STATES

| | NUMBER | KIND | DATE |
|---------------------|----------------|------|--------------|
| PATENT INFORMATION: | US 2002168636 | A1 | 20021114 |
| | US 6773918 | B2 | 20040810 |
| APPLICATION INFO.: | US 2000-520538 | A1 | 20000308 (9) |

| | NUMBER | DATE |
|-----------------------|--|---------------|
| PRIORITY INFORMATION: | US 1999-123659P | 19990309 (60) |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | APPLICATION | |
| LEGAL REPRESENTATIVE: | Samuel M Freund, LC/BPL MS D412, Los Alamos National | |

Laboratory, P O Box 1663, Los Alamos, CA, 87545

NUMBER OF CLAIMS: 7
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 7 Drawing Page(s)
LINE COUNT: 781

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Detection of phenols using engineered bacteria. A biosensor can be created by placing a reporter gene under control of an inducible promoter. The reporter gene produces a signal when a cognate transcriptional activator senses the inducing chemical. Creation of bacterial biosensors is currently restricted by limited knowledge of the genetic systems of bacteria that catabolize xenobiotics. By using mutagenic PCR to change the chemical specificity of the *Pseudomonas* species CF600 DmpR protein, the potential for engineering novel biosensors for detection of phenols has been demonstrated. DmpR, a well-characterized transcriptional activator of the P. CF600's dmp operon mediates growth on simple phenols. Transcription from Po, the promoter heading the dmp operon, is activated when the sensor domain of DmpR interacts with phenol and mono-substituted phenols. By altering the sensor domain of the DmpR, a group of DmpR derivatives that activate transcription of a Po-lacZ fusion in response to eight of the EPA's eleven priority pollutant phenols has been created. The assays and the sensor domain mutations that alter the chemical specificity of DmpR is described.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 6 OF 11 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 2002-19707 BIOTECHDS

TITLE: Biosensor system for analyzing substances, has cell or organism having DNA molecule encoding p-hydroxyphenyl-pyruvic acid dioxygenase under the control of a promoter inducible by the substance to be analyzed;
microbial electrode construction by vector-mediated p-hydroxyphenyl-pyruvate-dioxygenase gene transfer and expression in *Escherichia coli* or *Saccharomyces cerevisiae*

AUTHOR: SCHLEDZ M
PATENT ASSIGNEE: GREENOVATION BIOTECH GMBH
PATENT INFO: WO 2002053772 11 Jul 2002
APPLICATION INFO: WO 2000-EP13231 28 Dec 2000
PRIORITY INFO: EP 2000-128593 28 Dec 2000
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: WPI: 2002-557745 [59]

AN 2002-19707 BIOTECHDS

AB DERWENT ABSTRACT:

NOVELTY - Biosensor system (I), comprising a cell or organism harboring a DNA molecule enabling the cell or organism to express p-hydroxyphenyl-pyruvic acid dioxygenase (HPD) (II) under the control of a promoter which is inducible by the presence of substances or conditions to be analyzed, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following: (1) an isolated DNA molecule (III) comprising a nucleotide sequence providing an expression cassette capable of directing the expression of (II), where the expression cassette comprises, from 5' to 3', an inducible promoter capable of expressing a downstream coding sequence, a DNA sequence coding for the expression of (II), and a 3' termination sequence characterized in that the inducible promoter (P) is selected from *zntZ*, *cadA*, *merA*, *nic*, *Chr*, *ark*, *fliC*, *corA*, *dmpR*, *xylR*, *xylS*, *pqiAB*, *SoxRS*, *zrt*, *zip*, *ycf1*, *cup1-1*, *cup1-2*, *gef1*, *ftr1*, *hall*, *grel*, and *aad4*; (2) a plasmid or vector system comprising (III);

(3) a transgenic cell or organism containing (III); and (4) studying and/or monitoring the activity of a promoter or its functional part, comprising: (a) using a vector which comprises a DNA sequence coding for (II) under the control of the promoter or its functional part and a transcriptional terminator, where the DNA sequence is, for the transformation of a host cell or organism; (b) cultivating the transformants; and (c) monitoring the activity of the promoter or its functional part by measuring the content of ochronotic pigment accumulated in the culture medium.

BIOTECHNOLOGY - Preferred Biosensor: (P) is zntA, cadA, merA, nic, chr, ars, fliC, corA, dmpR, xylR, xylS, pquAB, SoxRS, zrt, zip, ycfI, cup1-1, cup1-2, gefI, ftr1, hall, greI and aad4. The cell or organism is procaryotic (e.g. Escherichia coli) or eukaryotic (e.g. yeast such as Saccharomyces cerevisiae).

USE - (I) is useful for detecting the presence and quantity of a substance (e.g. air, water and soil contaminants, toxins and toxic compounds, zinc, cadmium, mercury, lead, nickel, chrome, arsenic, iron, copper, aluminum, manganese, cobalt, phenols, benzene and paraquat) or conditions (salt, osmotic and oxidative stress conditions) to be analyzed, by incubating (I) with the substance and detecting the presence and quantity of the substance photometrically (claimed). (I) is also useful for evaluating the presence and quantity of chemical substances desired to be analyzed. (I) is useful for analyzing DNA-protein interactions by a one-hybrid assay, receptor-based ligand-affinity screening, and for detecting vitality during of an organism during cultivation, e.g. fermentation.

ADVANTAGE - (I) enables quick, reliable and low cost analyses. The quantification of ochronotic pigment is in proportion to cellular RNA levels of hpd and can easily be performed in the cell culture medium. The sensor is a quantitative and an easy-to-handle system. A measurement of promoter activity is achieved without lysing transformed cells. Kinetics of the gene expression can easily and repeatedly be studied by sampling the same cultures. After assaying for hpd activity, transformed cells can be further studied using other methods, e.g. Northern blots, RNase protection assays or Western Blots. Sample collection can be automated by using cultures grown in e.g. 96-well plates. The system thus enables high-throughput screenings.

EXAMPLE - P-hydroxyphenyl-pyruvic acid dioxygenase (Hpd) gene from Arabidopsis was amplified from an A. thaliana Matchmaker cDNA library by proof-reading polymerase chain reaction (PCR) using the primers hpd (5'-TGAAATCCATGGGCCACCAAAACGCCCGCTT-3') and hpd (5'-TCTTCTGTGGATCCCCACTAACTGTTTGGC-3'). The 1355 base pair PCR-fragment was digested with NcoI and BamHI and inserted into pQE60 which had been digested with the same enzymes. The resulting plasmid pHPDQE was transformed into Escherichia coli strain JM109. For overexpression of HPD, log-phase JM109 (OD600 = 0,7) cells were induced by adding 500 micro-M IPTG (isopropyl-beta-D-thiogalactopyranoside), grown for 5 hours at 27 degrees C and then harvested. Because of the 3'-terminal fusion between the hpd-coding sequence and His6-codons of the vector, HPD was purified by Talon metal affinity chromatography. (62 pages)

L6 ANSWER 7 OF 11 USPATFULL on STN

ACCESSION NUMBER: 2001:226426 USPATFULL

TITLE: Biosensors

INVENTOR(S): Schneider, Rene, Microbiology, Australia
Vancov, Tony, Euguna, Australia
Jury, Karen, Norwich, United Kingdom

PATENT ASSIGNEE(S): CRC for Waste Management and Pollution Control Limited,
Kensington, Australia (non-U.S. corporation)

| | NUMBER | KIND | DATE |
|---------------------|------------|------|----------|
| PATENT INFORMATION: | US 6329160 | B1 | 20011211 |
| | WO 9804716 | | 19980205 |

APPLICATION INFO.: US 1999-230288 19990907 (9)
 WO 1997-AU473 19970725
 19990907 PCT 371 date
 19990907 PCT 102(e) date

| | NUMBER | DATE |
|-----------------------|---|----------|
| PRIORITY INFORMATION: | AU 1996-1280 | 19960729 |
| DOCUMENT TYPE: | Utility | |
| FILE SEGMENT: | GRANTED | |
| PRIMARY EXAMINER: | Le, Long V. | |
| ASSISTANT EXAMINER: | Pham, Minh-Quan K. | |
| LEGAL REPRESENTATIVE: | Browdy and Neimark | |
| NUMBER OF CLAIMS: | 20 | |
| EXEMPLARY CLAIM: | 1 | |
| NUMBER OF DRAWINGS: | 14 Drawing Figure(s); 8 Drawing Page(s) | |
| LINE COUNT: | 1019 | |

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A genetic construct for use in a biosensor comprising: (a) a first nucleic acid molecule including a sequence encoding a reporter molecule having a detectable activity; and (b) a second nucleic acid molecule including a sequence encoding an enzyme which produces a substrate for the reporter molecule, the first sequence being under the control of a first inducible promoter and the second sequence being under the control of a second inducible promoter. A biosensor for measuring an environmental signal comprising a cell including the genetic construct and a means for measuring the activity of the reporter molecule in the cell when the cell has been exposed to the environmental signal.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L6 ANSWER 8 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on
 STN DUPLICATE

ACCESSION NUMBER: 2001010563 ESBIOBASE
 TITLE: Role of the DmpR-mediated regulatory circuit in bacterial biodegradation properties in methylphenol-amended soils
 AUTHOR: Sarand I.; Skarfstad E.; Forsman M.; Romantschuk M.; Shingler V.
 CORPORATE SOURCE: V. Shingler, Dept. of Cell and Molecular Biology, Umea University, S-901 87 Umea, Sweden.
 E-mail: victoria.shingler@cmb.umu.se
 SOURCE: Applied and Environmental Microbiology, (2001), 67/1 (162-171), 53 reference(s)
 CODEN: AEMIDF ISSN: 0099-2240
 DOCUMENT TYPE: Journal; Article
 COUNTRY: United States
 LANGUAGE: English
 SUMMARY LANGUAGE: English

AB Pathway substrates and some structural analogues directly activate the regulatory protein DmpR to promote transcription of the drop operon genes encoding the (methyl) phenol degradative pathway of Pseudomonas sp. strain CF600. While a wide range of phenols can activate DmpR, the location and nature of substituents on the basic phenolic ring can limit the level of activation and thus utilization of some compounds as assessed by growth on plates. Here we address the role of the aromatic effector response of DmpR in determining degradative properties in two soil matrices that provide different nutritional conditions. Using the wild-type system and an isogenic counterpart containing a DrapR mutant with enhanced ability to respond to para-substituted phenols, we demonstrate (i) that the enhanced in vitro biodegradative capacity of the regulator mutant strain is manifested in the two different soil types and (it) that exposure of the wild-type strain to 4-methylphenol-contaminated soil led

to rapid selection of a subpopulation exhibiting enhanced capacities to degrade the compound. Genetic and functional analyses of 10 of these derivatives demonstrated that all harbored a single mutation in the sensory domain of DmpR that mediated the phenotype in each case. These findings establish a dominating role for the aromatic effector response of DmpR in determining degradation properties. Moreover, the results indicate that the ability to rapidly adapt regulator properties to different profiles of polluting compounds may underlie the evolutionary success of DmpR-like regulators in controlling aromatic catabolic pathways.

L6 ANSWER 9 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V. on STN DUPLICATE

ACCESSION NUMBER: 2000012777 ESBIOBASE
TITLE: Generation of novel bacterial regulatory proteins that detect priority pollutant phenols
AUTHOR: Wise A.A.; Kuske C.R.
CORPORATE SOURCE: C.R. Kuske, Env'tl. Molecular Biology Group, Biosciences Division, Los Alamos National Laboratory, Los Alamos, NM 87545, United States.
E-mail: kuske@lanl.gov
SOURCE: Applied and Environmental Microbiology, (2000), 66/1 (163-169), 41 reference(s)
CODEN: AEMIDF ISSN: 0099-2240
DOCUMENT TYPE: Journal; Article
COUNTRY: United States
LANGUAGE: English
SUMMARY LANGUAGE: English

AB The genetic systems of bacteria that have the ability to use organic pollutants as carbon and energy sources can be adapted to create bacterial biosensors for the detection of industrial pollution. The creation of bacterial biosensors is hampered by a lack of information about the genetic systems that control production of bacterial enzymes that metabolize pollutants. We have attempted to overcome this problem through modification of DmpR, a regulatory protein for the phenol degradation pathway of *Pseudomonas* sp. strain CF600. The phenol detection capacity of DmpR was altered by using mutagenic PCR targeted to the DmpR sensor domain. DmpR mutants were identified that both increased sensitivity to the phenolic effectors of wild-type DmpR and increased the range of molecules detected. The phenol detection characteristics of seven DmpR mutants were demonstrated through their ability to activate transcription of a lacZ reporter gene. Effectors of the DmpR derivatives included phenol, 2-chlorophenol, 2,4-dichlorophenol, 4-chloro-3-methylphenol, 2,4-dimethylphenol, 2-nitrophenol, and 4-nitrophenol.

L6 ANSWER 10 OF 11 BIOTECHDS COPYRIGHT 2006 THE THOMSON CORP. on STN

ACCESSION NUMBER: 1999-00451 BIOTECHDS
TITLE: Engineering novel biosensors to detect priority pollutant phenols;
Pseudomonas sp. biosensor construction via polymerase chain reaction-mediated DmpR protein mutagenesis for use in phenol pollutant analysis (conference abstract)
AUTHOR: Wise A; Kuske C
CORPORATE SOURCE: Los-Alamos-Nat.Lab.
LOCATION: Los Alamos National Laboratory, Los Alamos, NM, USA.
SOURCE: Abstr.Gen.Meet.Am.Soc.Microbiol.; (1998) 98 Meet., 290
CODEN: 0005P
ISSN: 0067-2777
98th General Meeting of the American Society for Microbiology, Atlanta, GA, USA, 17-21 May, 1998.
DOCUMENT TYPE: Journal

LANGUAGE: English

AN 1999-00451 BIOTECHDS

AB Bacterial biosensors can be a cost-effective means of detecting industrial pollution. Bacterial biosensors use transcriptional activators which activate a reporter gene (which gives a measurable signal) when contacted with the inducing chemical, but, many pollutants cannot be detected by a known transcriptional activator and so this limits the creation of bacterial biosensors. In this study an attempt was made to engineer novel biosensors. Mutagenic polymerase chain reaction was used to alter the chemical specificity of the *Pseudomonas* sp. CF600 DmpR protein. DmpR is a well characterized transcriptional activator of CF600's dmp operon and it mediates growth on simple phenols. Po, the promoter heading the dmp operon and transcription from this point was activated when domain-A (sensor domain) of DmpR interacted with phenol, monomethylated phenol and mono-chlorinated phenol. A set of DmpR derivatives was created via modification of the DmpR sensor domain and these derivatives activated transcription of a Po-lacZ fusion in response to 8 of the 11 priority pollutant phenols regulated by the Environmental Protection Agency. (0 ref)

L6 ANSWER 11 OF 11 Elsevier BIOBASE COPYRIGHT 2006 Elsevier Science B.V.
on STN DUPLICATE

ACCESSION NUMBER: 1994074964 ESBIOBASE

TITLE: Sensing of aromatic compounds by the DmpR transcriptional activator of phenol-catabolizing *Pseudomonas* sp. strain CF600

AUTHOR: Shingler V.; Moore T.

CORPORATE SOURCE: V. Shingler, Department of Cell/Molecular Biology, University of Umea, S-901 87 Umea, Sweden.

SOURCE: Journal of Bacteriology, (1994), 176/6 (1555-1560)
CODEN: JOBAAAY ISSN: 0021-9193

DOCUMENT TYPE: Journal; Article

COUNTRY: United States

LANGUAGE: English

SUMMARY LANGUAGE: English

AB The dmp operon of the pVI150 catabolic plasmid of *Pseudomonas* sp. strain CF600 encodes the enzymes involved in the catabolism of phenol and methylphenols. The regulator of this dmp pathway, DmpR, is a member of the NtrC family of transcriptional activators and controls transcription of the dmp operon in response to aromatic effector compounds. (V. Shingler, M. Bartilson, and T. Moore, J. Bacteriol. 175:1596-1604, 1993). Using a lux gene fusion reporter system, in which the DmpR-regulated operon promoter controls the expression of luciferase activity, we have shown in the study reported here that DmpR is activated by, but responds differentially to, the presence of a wide range of aromatic compounds. In many microbial regulatory systems, including some members of the NtrC family, the response to environmental fluctuations involves information transfer from surface sensory proteins to transcriptional regulators. However, DmpR-mediated activation of phenol metabolism in response to aromatic compounds occurs in the absence of a specific sensory protein. We used hybrids between DmpR and XylR, a structurally related regulator of toluene and xylene metabolism, to demonstrate that it is the amino-terminal domains of these regulators that determine the specificity of transcriptional activation. The results suggest that it is the direct interaction of aromatic compounds with the DmpR and XylR proteins that regulates their transcriptional promoting activity.

=>
=> d his full

(FILE 'HOME' ENTERED AT 16:57:16 ON 21 DEC 2006)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE, AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS, CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB, DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 16:57:41 ON 21 DEC 2006
SEA TRANSCRIPT?(S) ACTIV?(S) PHENOL?

59 FILE AGRICOLA
2 FILE ANABSTR
2 FILE AQUALINE
7 FILE AQUASCI
42 FILE BIOENG
62 FILE BIOSIS
190 FILE BIOTECHABS
190 FILE BIOTECHDS
195 FILE BIOTECHNO
138 FILE CABA
96 FILE CAPLUS
6 FILE CEABA-VTB
1 FILE CROPU
12 FILE DDFU
50 FILE DGENE
33 FILE DISSABS
32 FILE DRUGU
5 FILE EMBAL
48 FILE EMBASE
285 FILE ES BIOBASE
6 FILE FROSTI
24 FILE FSTA
102 FILE GENBANK
1 FILE HEALSAFE
30 FILE IFIPAT
11 FILE JICST-EPLUS
5 FILE KOSMET
179 FILE LIFESCI
55 FILE MEDLINE
1 FILE NTIS
3 FILE OCEAN
164 FILE PASCAL
2 FILE PROMT
1 FILE RDISCLOSURE
57 FILE SCISEARCH
55 FILE TOXCENTER
782 FILE USPATFULL
88 FILE USPAT2
3 FILE VETU
3 FILE WATER
39 FILE WPIDS
39 FILE WPINDEX
4 FILE IPA
3 FILE NLDB

L1 QUE TRANSCRIPT?(S) ACTIV?(S) PHENOL?

D RANK

FILE 'USPATFULL, ES BIOBASE, BIOTECHNO, BIOTECHDS, LIFESCI, PASCAL, CABA, CAPLUS, USPAT2, BIOSIS, AGRICOLA, SCISEARCH, MEDLINE' ENTERED AT 17:01:03
ON 21 DEC 2006

L2 3791 SEA (TRANSCRIPT?(S) ACTIV?(S) PHENOL?) OR (DMP?(S) PHENOL?)
L3 195 SEA L2 AND SENSOR?

L4 152 SEA L3 AND (PUTIDA? OR COLI? OR PSEUDOMON?)
L5 42 SEA L4 AND DMPR?
L6 11 DUP REM L5 (31 DUPLICATES REMOVED)
D TI L6 1-11
D IBIB ABS L6 1-11

FILE HOME

FILE STNINDEX

FILE USPATFULL

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 21 Dec 2006 (20061221/PD)

FILE LAST UPDATED: 21 Dec 2006 (20061221/ED)

HIGHEST GRANTED PATENT NUMBER: US7152245

HIGHEST APPLICATION PUBLICATION NUMBER: US2006288461

CA INDEXING IS CURRENT THROUGH 21 Dec 2006 (20061221/UPCA)

ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 21 Dec 2006 (20061221/PD)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2006

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2006

FILE ESBIODBASE

FILE LAST UPDATED: 19 DEC 2006 <20061219/UP>

FILE COVERS 1994 TO DATE.

>>> SIMULTANEOUS LEFT AND RIGHT TRUNCATION AVAILABLE IN
/CC, /ORGN, AND /ST <<<

FILE BIOTECHNO

FILE LAST UPDATED: 7 JAN 2004 <20040107/UP>

FILE COVERS 1980 TO 2003.

>>> BIOTECHNO IS NO LONGER BEING UPDATED AS OF 2004 <<<

>>> SIMULTANEOUS LEFT AND RIGHT TRUNCATION AVAILABLE IN
/CT AND BASIC INDEX <<<

FILE BIOTECHDS

FILE LAST UPDATED: 21 DEC 2006 <20061221/UP>

FILE COVERS 1982 TO DATE

>>> USE OF THIS FILE IS LIMITED TO BIOTECH SUBSCRIBERS <<<

FILE LIFESCI

FILE COVERS 1978 TO 10 Nov 2006 (20061110/ED)

FILE PASCAL

FILE LAST UPDATED: 18 DEC 2006 <20061218/UP>

FILE COVERS 1977 TO DATE.

>>> SIMULTANEOUS LEFT AND RIGHT TRUNCATION IS AVAILABLE
IN THE BASIC INDEX (/BI) FIELD <<<

FILE CABA

FILE COVERS 1973 TO 6 Dec 2006 (20061206/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

The CABA file was reloaded 7 December 2003. Enter HELP RLOAD for details.

FILE CAPLUS

Copyright of the articles to which records in this database refer is